## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20060072477"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/28 09:15
S3	118	bodlaender maarten	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/28 15:14
S4	4	"2002096139"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/28 15:18
S5	3	"20020027569"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/28 17:09
S6	3	"20020027569"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 10:54
S8	2925	UPnP or (universal plug and play)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:18
S10	420	@ad<="20021204" and (UPnP or (universal plug "and" play))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:39
S13	420	@ad<="20021204" and (UPnP or (universal plug "and" play))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:43
S16	409	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:45

S17	312	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:46
S19	233	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control and configuration)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 13:47
S21	2	"20020078161"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 16:30
S22	2	"20020111698"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/30 17:25
S24	7	@ad<="20021204" and (updat\$3 with (software or version) with (old\$3 or predermined) with time with delet\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 12:26
S25	11	@ad<="20021204" and (updat\$3 with (software or memory) with (old\$3 or predermined) with time with delet\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 14:03
S26	23	\$5 or accessed) with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 16:35
S28	3	@ad<= "20021204" and (updat\$3 with (storage or memory) with (old\$3 or long \$5 or accessed) with unused with delet\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 17:06
S29	1220	@ad<="20021204" and (finger\$2 print\$3 with (id or identif\$7))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 17:12
S30	106	@ad<="20021204" and ((finger printing) with (id or identif\$7))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 17:14

S31	2	@ad<="20021204" and ((finger printing) and (upnp or (universal plug and play)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/01 17:49
S37	16	"6965816"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/05 07:35
S44	120	bodlaender maarten	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/05 09:47
S45	1992	370/254.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/05 09:52
S47	4739	709/220-222.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/05 09:52
S48	139	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control and configuration and delet \$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/28 16:02
S49	541	@ad<="20021204" and (UPnP or (universal plug and play))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/28 16:04
S50	306	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/28 16:06
S51	147	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control and configuration and (release or leave))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/28 16:08

S52	147	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control and configuration and (release or leave or inactivate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/28 16:09
S53	2	"20020078161"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/28 17:55
S54	2	"20010033554"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 09:01
S55	2	"20020111698"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 09:07
S56	48	"6301012"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 09:14
S57	8	"6694354"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 09:57
S58	6	"6636329"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 09:59
S59	6	"6622169"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 09:59
S60	280	"6012088"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 10:01
S61	12	"6772420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 10:03

S62	61	@ad<="20021204" and	US-PGPUB;	ADJ	ON	2008/12/29
		((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control and (configuration same (release or leave or inactivate)))	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB			10:34
S63	48	@ad<="20021204" and ((UPnP or (universal plug "and" play)) and descript\$4 and identif\$5 and control and (configuration with (release or leave or inactivate)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/29 10:34
S65	54	upnp and (leave with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/29 17:37
S66	64	upnp and ((leave or keep or stand\$1by)with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/29 17:50
S67	10	S66 not S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/29 17:50
S68	64	upnp and ((leave or keep or stand\$1by or inactivate or deactivate)with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/29 17:55
S69	64	upnp and ((leave or keep or stand\$1by or inactivate or deactivate) with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/29 17:55
S70	10	S69 not S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/29 17:56

S71	1670	@ad<"20021202" and (node or device) with (failure or suspend or stand \$1by) with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 08:29
S73	42	@ad<"20021202" and (node or device) with (failure or suspend or stand \$1by) with configuration with identif\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 08:31
S74	3	"20030229900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 08:56
S75	74	@ad< "20021202" and (node or device) with (failure or suspend or stand \$1by) with message with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 08:59
S76	76	@ad<"20021202" and (node or device) with (failure or suspend\$3 or stand\$1by or in\$1activat\$3) with message with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 09:01
S80	299	@ad<"20021202" and ((node or device) with (activ \$4 or suspend\$3 or stand \$1by or in\$1activat\$3 or restor\$3 or updat\$3) with message with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 09:52
S81	265	S80 not S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 09:53
S83	1	@ad< "20021202" and upnp and (node or device) with (activate or de\$1activate or in\$1activate) same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:27

S84	2	@ad< "20021202" and upnp and (node or device) same (activate or de\$1activate or in\$1activate) same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:28
S85	11	@ad< "20021202" and upnp and ((activate or de \$1activate or in\$1activate) same configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:30
S86	18	@ad< "20021202" and upnp and (activate or restore) and (de\$1activate or in \$1activate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:33
S87	18	@ad< "20021202" and upnp and (activate or restore) and (de\$1activate or in \$1activate) and configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:35
S88	42	@ad< "20021202" and upnp and ((de\$1activate or in \$1activate or suspend or down or disable) same configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:41
S89	81968	@ad< "20021202" and ((de \$1activate or in\$1activate or suspend or down or disable or stand\$1by) same configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:46
S90	27989	@ad< "20021202" and ((de \$1activate or in\$1activate or suspend or down or disable or stand\$1by) with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:46
S91	5072	@ad<"20021202" and ((de \$1activate or in\$1activate or suspend or disable or stand\$1by) with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 10:47
S92	13874	@ad< "20021202" and (configuration (description or data or record)) and (activ\$4 or de\$1activ\$4 or in \$1activ\$4 or disabl\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 12:46

S93	1942	or data or record)) same	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 12:47
S95	749	5.5 · · · · · · · · · · · · · · · · · ·	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 12:49
S96	79		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 12:50
S98	112	(keep or save) with configuration with (failure or stand\$1by or log\$1off or log\$1out or leave) and @ad< "20021202"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 13:25
S99	5329		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 14:06
S101	5		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 14:08
S102	7	(node or device) same failure with (inactiv\$4 or non \$1activat\$3) with configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/30 14:11
S103	241	(keep or save) with configuration with (failure or stand\$1by or log\$1off or log\$1out or leave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 08:58

S104	299	@ad<"20021202" and ((node or device) with (activ \$4 or suspend\$3 or stand \$1by or in\$1activat\$3 or restor\$3 or updat\$3) with message with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:03
S105	1753	@ad< "20021204" and (configuration with inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:36
S106	2	@ad<"20021204" and (configuration with mark with inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:37
S107	0	@ad<"20021204" and (configuration with dscription with inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:42
S108	2	@ad<"20021204" and (configuration with description with inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:43
S109	693	@ad<"20021204" and (configuration near5 inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:44
S110	386	@ad< "20021204" and (configuration near2 inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:45
S111	0	@ad< "20021204" and upnp and (configuration near2 inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:46

S112	0	@ad< "20021204" and upnp and (configuration with inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 09:46
S113	627	@ad<"20021204" and (mark \$3 near2 inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:03
S114	0	@ad< "20021204" and upnp and (mark\$3 near2 inactive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:07
S115	49	@ad< "20021204" and (message with mark\$3 near2 (inactive or active))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:08
S116	8	"7139242"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/31 10:44

12/31/2008 1:09:51 PM

C:\ Documents and Settings\ dgoel\ My Documents\ EAST\ Workspaces\ a10536847.wsp